


# PageSpeed Insights

## Mobile



70 / 100 Speed

! Should Fix:

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <https://www.mylov.ge/ajax/js/jquery-1.7.2.min.js>
- <https://www.mylov.ge/js/notifs/main.js>

#### [Optimize CSS Delivery](#) of the following:

- <https://www.mylov.ge/css/wap/wap.php?style=000000&font=16&width=>

## Mobile

- <https://www.mylov.ge/simptom/mail/style.css>

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 18.1KiB (75% reduction).

- Compressing <https://www.mylov.ge/css/wap/wap.php?style=000000&font=16&width=> could save 17.7KiB (76% reduction).
- Compressing [https://www.mylov.ge/js/ion.sound.min.js?\\_=1565401570079](https://www.mylov.ge/js/ion.sound.min.js?_=1565401570079) could save 408B (42% reduction).

#### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.google-analytics.com/analytics.js> (2 hours)

#### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

## [Mobile](#)

[Minify CSS](#) for the following resources to reduce their size by 2.8KiB (13% reduction).

- Minifying <https://www.mylov.ge/css/wap/wap.php?style=000000&font=16&width=> could save 2.8KiB (13% reduction).

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 149B (12% reduction).

- Minifying <https://www.mylov.ge/js/notifs/main.js> could save 149B (12% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 68.8KiB (66% reduction).

- Compressing <https://www.mylov.ge/images/clients/hdclub.ge.png> could save 34.2KiB (63% reduction).
- Compressing <https://www.mylov.ge/sys/gallery/128/192.jpg> could save 11.2KiB (68% reduction).
- Compressing <https://www.mylov.ge/sys/gallery/128/1119.jpg> could save 10.9KiB (70% reduction).
- Compressing <https://www.mylov.ge/sys/gallery/128/198.jpg> could save 10.7KiB (72% reduction).
- Compressing <https://www.mylov.ge/style/icons/user.png> could save 987B (78% reduction).
- Compressing <https://www.mylov.ge/style/icons/lock.png> could save 976B (82% reduction).



## 4 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 96 / 100 User Experience



### Consider Fixing:

#### Configure the viewport

Your page uses an XHTML Mobile doctype declaration, which instructs browsers that your page is optimized for mobile and should render properly on all devices.

If you change the doctype, for example to `<!DOCTYPE html>` in order to use HTML5 features, [configure a viewport](#) with `<meta name=viewport width=device-width>` to keep the page's current behavior.

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="/user/info/">05:46</a>` is close to 1 other tap targets final.
- The tap target `<a href="/user/info/">05:46</a>` is close to 1 other tap targets final.
- The tap target `<label></label>` is close to 1 other tap targets final.
- The tap target `<input type="checkbox" name="aut_save">` is close to 1 other tap targets final.



### 3 Passed Rules

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



85 / 100 Speed

! Should Fix:

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 16 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <https://code.jquery.com/jquery-3.2.1.slim.min.js>
- <https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js>
- <https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js>
- <https://www.mylov.ge/js/bootstrap.min.js>
- <https://www.mylov.ge/ajax/js/jquery-1.7.2.min.js>
- <https://www.mylov.ge/js/notifs/main.js>

#### [Optimize CSS Delivery](#) of the following:

- [https://www.mylov.ge/css/web/desktop\\_cache\\_r1479p.css](https://www.mylov.ge/css/web/desktop_cache_r1479p.css)
- [https://www.mylov.ge/css/web/not\\_auth\\_14\\_221\\_4\\_r1479p.css](https://www.mylov.ge/css/web/not_auth_14_221_4_r1479p.css)
- <https://www.mylov.ge/css/web/About.css?r=1479p>
- <https://www.mylov.ge/css/web/Main.css?r=1479p>

## Desktop

- <https://www.mylov.ge/css/web/RegTouch.css?r=1479p>
- <https://www.mylov.ge/css/web/SidebarPc.css?r=1479p>
- <https://www.mylov.ge/css/web/Carousel.css?r=1479p>
- <https://www.mylov.ge/css/web/Music.css?r=1479p>
- <https://www.mylov.ge/css/web/Controls.css?r=1479p>
- [https://www.mylov.ge/css/web/desktop\\_cache\\_1479.css](https://www.mylov.ge/css/web/desktop_cache_1479.css)
- <https://www.mylov.ge/simptom/mail/style.css>
- <https://www.mylov.ge/css/web/aa/bootstrap.min.css>
- <https://www.mylov.ge/css/web/axali/web.css>
- <https://www.mylov.ge/css/web/axali/web1.css>
- <https://www.mylov.ge/css/web/axali/kontaqt.css>
- <https://www.mylov.ge/css/web/axali/font-awesome-4.7.0/css/font-awesome.css>

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 736B (46% reduction).

- Compressing [https://www.mylov.ge/js/ion.sound.min.js?\\_=1565401577574](https://www.mylov.ge/js/ion.sound.min.js?_=1565401577574) could save 408B (42% reduction).
- Compressing <https://www.mylov.ge/css/web/About.css?r=1479p> could save 328B (51% reduction).

# Desktop

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 646B (14% reduction).

- Minifying [https://www.mylov.ge/css/web/desktop\\_cache\\_1479.css](https://www.mylov.ge/css/web/desktop_cache_1479.css) could save 646B (14% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 149B (12% reduction).

- Minifying <https://www.mylov.ge/js/notifs/main.js> could save 149B (12% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 42.9KiB (78% reduction).

- Compressing and resizing <https://www.mylov.ge/images/clients/hdclub.ge.png> could save 42.2KiB (77% reduction).
- Compressing <https://www.mylov.ge/style/icons/off.gif> could save 734B (85% reduction).



4 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).