


# PageSpeed Insights

## Mobile



The screenshot shows a mobile website interface. At the top, there is a blue navigation bar with a 'Menü' dropdown and a 'Suchen' search button. Below the navigation bar, the main heading is 'Schufa Öffnungszeiten Berlin' with a sub-heading 'Wir berichten über die Schufa deutschlandweit!'. The main content area features a large article snippet with the title 'Bestellung auf Rechnung: Geht Amazon Ratenzahlungen trotz Schufa in 2019?' and a sub-heading 'Berliner sein ist einfach.' from 'Berliner Sparkasse'. A red button labeled 'MEHR' is visible at the bottom of the snippet.

*Um Betrug zu verhindern, überprüft auch Amazon ihre Kunden genau – auch mithilfe von der **Schufa**, **Creditreform** und etc. Doch das Verfahren kann Unschuldige treffen, bis hin zur Löschung der Bestellung.*

Sie würden etwas bei Amazon bestellen haben  
aber schlechte Schufa und würden gerne

66 / 100 Speed

 Should Fix:

### Reduce server response time

In our test, your server responded in 1.2 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources. This causes a delay in rendering your page.

## Mobile

Approximately 60% of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://cdn.subscribers.com/assets/subscribers.js>

## Consider Fixing:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 1,005B (45% reduction).

- Compressing [https://us-u.openx.net/w/1.0/pd?ph=bbb82fae-1d27-4d90-bb10-e24164ecd7bc&google\\_gid=CAESEA44b9JEUS6A9rY9Cu1dzEI&google\\_cver=1&google\\_push=AHNF13KDOKBqD\\_\\_wZvmjkuiiNyoJHXQyM23aGxLDjygnXA](https://us-u.openx.net/w/1.0/pd?ph=bbb82fae-1d27-4d90-bb10-e24164ecd7bc&google_gid=CAESEA44b9JEUS6A9rY9Cu1dzEI&google_cver=1&google_push=AHNF13KDOKBqD__wZvmjkuiiNyoJHXQyM23aGxLDjygnXA) could save 379B (44% reduction).
- Compressing [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/photons/photons.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/photons/photons.min.js) could save 346B (45% reduction).
- Compressing [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/minileven/theme/pub/minileven/js/small-menu.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/minileven/theme/pub/minileven/js/small-menu.min.js) could save 280B (45% reduction).

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://cdn.subscribers.com/assets/subscribers.js> (expiration not specified)
- [https://static.doubleclick.net/instream/ad\\_status.js](https://static.doubleclick.net/instream/ad_status.js) (15 minutes)

## Mobile

- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr201100101> (50 minutes)
- [https://www.googletagservices.com/activeview/js/current/osd\\_listener.js?cache=r20110914](https://www.googletagservices.com/activeview/js/current/osd_listener.js?cache=r20110914) (50 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.5KiB (20% reduction).

- Minifying <http://travelernews.org/wp-content/plugins/jetpack/modules/likes/queuehandler.js> could save 966B (29% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/postmessage.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/postmessage.min.js) could save 747B (20% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/lazy-images/js/lazy-images.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/lazy-images/js/lazy-images.min.js) could save 318B (11% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/jquery.jetpack-resize.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/jquery.jetpack-resize.min.js) could save 214B (20% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/minileven/theme/pub/minileven/js/small-menu.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/minileven/theme/pub/minileven/js/small-menu.min.js) could save 160B (26% reduction).
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/jquery.spin.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/jquery.spin.min.js) could save 107B (16% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

## Mobile

[Optimize the following images](#) to reduce their size by 13.8KiB (20% reduction).

- Compressing [https://tpc.googlesyndication.com/daca\\_images/simgad/15715813277340665407](https://tpc.googlesyndication.com/daca_images/simgad/15715813277340665407) could save 4.2KiB (21% reduction).
- Compressing [https://tpc.googlesyndication.com/icore\\_images/17565997324054286071](https://tpc.googlesyndication.com/icore_images/17565997324054286071) could save 2.9KiB (14% reduction).
- Compressing [https://tpc.googlesyndication.com/icore\\_images/8746287328114936196](https://tpc.googlesyndication.com/icore_images/8746287328114936196) could save 2.2KiB (24% reduction).
- Compressing [https://tpc.googlesyndication.com/icore\\_images/15830287003235249325](https://tpc.googlesyndication.com/icore_images/15830287003235249325) could save 2KiB (14% reduction).
- Compressing <http://travelernews.org/wp-content/plugins/better-click-to-tweet/assets/img/birdy.png> could save 949B (69% reduction).
- Compressing <https://yt3.ggpht.com/-pLQd225Qx6U/AAAAAAAAAAI/AAAAAAAAAA/aWmSW-AcbnE/s68-c-k-no-mo-rj-c0xffffff/photo.jpg> could save 761B (26% reduction).
- Compressing <https://yt3.ggpht.com/-OhQS0EpVdSw/AAAAAAAAAAI/AAAAAAAAAA/VhpzuH2M-tc/s68-c-k-no-mo-rj-c0xffffff/photo.jpg> could save 512B (29% reduction).
- Compressing [http://travelernews.org/wp-content/plugins/wp-postratings/images/stars\\_crystal/rating\\_over.gif](http://travelernews.org/wp-content/plugins/wp-postratings/images/stars_crystal/rating_over.gif) could save 365B (37% reduction).



### 4 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 99 / 100 User Experience

### Consider Fixing:

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="https://travel...lich-5416.html">Ist Ratenzahlu...chufa möglich?</a>` is close to 1 other tap targets.
- The tap target `<div id="abgc" class="abgc"></div>` is close to 1 other tap targets.
- The tap target `<div class="ns-jpwb3-e-9 t...full clickable">Sonnenschutz fürs ganze Haus</div>` is close to 1 other tap targets.
- The tap target `<div class="ns-jpwb3-e-15 url clickable">WAREMA</div>` and 1 others are close to other tap targets.

### 4 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

# Mobile

## Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

## Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

## Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

# Desktop



**79 / 100** Speed

**!** Should Fix:

## Reduce server response time

In our test, your server responded in 1.3 seconds.

## Desktop

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 855B (49% reduction).

- Compressing <http://travelernews.org/wp-content/themes/infinity/lib/js/common.js> could save 509B (51% reduction).
- Compressing [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/photon/photon.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/photon/photon.min.js) could save 346B (45% reduction).

#### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://cdn.subscribers.com/assets/subscribers.js> (expiration not specified)
- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://mc.yandex.ru/metrika/watch.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <http://google-analytics.com/ga.js> (2 hours)

## Desktop

- <http://ssl.google-analytics.com/ga.js> (2 hours)

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.6KiB (28% reduction).

- Minifying <http://travelernews.org/wp-content/themes/infinity/style.css> could save 1.6KiB (28% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.6KiB (21% reduction).

- Minifying <http://travelernews.org/wp-content/plugins/jetpack/modules/likes/queuehandler.js> could save 966B (29% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/postmessage.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/postmessage.min.js) could save 747B (20% reduction) after compression.
- Minifying <http://travelernews.org/wp-content/themes/infinity/lib/js/common.js> could save 340B (35% reduction).
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/lazy-images/js/lazy-images.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/lazy-images/js/lazy-images.min.js) could save 318B (11% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/jquery.jetpack-resize.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/jquery.jetpack-resize.min.js) could save 214B (20% reduction) after compression.
- Minifying [http://travelernews.org/wp-content/plugins/jetpack/\\_inc/build/jquery.spin.min.js](http://travelernews.org/wp-content/plugins/jetpack/_inc/build/jquery.spin.min.js) could save 107B (16% reduction) after compression.

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <https://cdn.subscribers.com/assets/subscribers.js>

#### [Optimize CSS Delivery](#) of the following:

- <http://travelernews.org/wp-content/themes/infinity/style.css>
- <http://fonts.googleapis.com/css?family=Droid+Sans|Oswald>
- <http://travelernews.org/wp-content/plugins/jetpack/css/jetpack.css>

### Optimize images

Properly formatting and compressing images can save many bytes of data.

#### [Optimize the following images](#) to reduce their size by 2.1KiB (44% reduction).

- Compressing <http://travelernews.org/wp-content/themes/infinity/images/menu-indicator-down.png> could save 930B (88% reduction).
- Compressing [https://s11.flagcounter.com/mini/FqbB/bg\\_FFFFFFF/txt\\_FAFafa/border\\_FFFFFFF/flags\\_1/](https://s11.flagcounter.com/mini/FqbB/bg_FFFFFFF/txt_FAFafa/border_FFFFFFF/flags_1/) could save 524B (27% reduction).
- Compressing [http://travelernews.org/wp-content/plugins/wp-postratings/images/stars\\_crystal/rating\\_on.gif](http://travelernews.org/wp-content/plugins/wp-postratings/images/stars_crystal/rating_on.gif) could save 370B (37% reduction).
- Compressing [http://travelernews.org/wp-content/plugins/wp-postratings/images/stars\\_crystal/rating\\_over.gif](http://travelernews.org/wp-content/plugins/wp-postratings/images/stars_crystal/rating_over.gif) could save 365B (37% reduction).

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 60% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:6](#)



## 2 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).